

MICROCOPY RESOLUTION TEST CHART NATIONAL BUREAU OF STANDARDS-1963-A

S

کارے ا		
1	7	
E		

UNCLASSIFIED

SECURITY CLASSIFICATION OF THIS PAGE (When Data Entered)

C O R R E C T E D

REPORT DOCUMENTAT	READ INSTRUCTIONS BEFORE COMPLETING FORM	
. REPORT NUMBER	2. GOVT ACCESSION NO.	3. RECIPIENT'S CATALOG NUMBER
NIC-1	AD-A126 119	
I. TITLE (and Subtitle)		5. TYPE OF REPORT & PERIOD COVER
		Interim Technical Report
The Hydrolysis of Phosphate I	Esters on Solids	10/1/82 - 1/15/83
	6. PERFORMING ORG. REPORT NUMBER	
. AUTHOR(*)		8. CONTRACT OR GRANT NUMBER(#)
•		WRO13-01-01
Richard A. Hollins	•	WR014=11~0B
·		1
PERFORMING ORGANIZATION NAME AND AD	DRESS	10. PROGRAM ELEMENT PROJECT, TAS
Naval Hagnona Conton	•	
Naval Weapons Center China Lake, California 93555		NR 633-846
11. CONTROLLING OFFICE NAME AND ADDRESS		12. REPORT DATE
Office of Naval Research, Code 413		2/1/1983
800 North Quincy Street	13. NUMBER OF PAGES	
Arlington, Virginia 22217 14. MONITORING AGENCY NAME & ADDRESS(If different from Controlling Office)		15. SECURITY CLASS. (of this report)
14. MONITORING AGENCY NAME & ADDRESS(II dilleter from Controlling Office)		
		UNCLASSIFIED
		15a. DECLASSIFICATION/DOWNGRADING
6. DISTRIBUTION STATEMENT (of this Report)		<u> </u>
Approved for public release;	distribution unlimit	ed.
		<del></del>

18. SUPPLEMENTARY NOTES

Prepared for publication in JOURNAL OF RESEARCH COMMUNICATIONS (Publication of Chemical Systems Laboratory, Aberdeen Proving Ground, MD)

19. KEY WORDS (Continue on reverse side if necessary and identify by block number)

17. DISTRIBUTION STATEMENT (of the abstract entered in Block 20, If different from Report)

Surface Catalysis
Hydrolysis
Organophosphorus
Solid-Supported Reagents

SELECTE MAR 28 1983

20. ABSTRACT (Continue on reverse elde if necessary and identity by block number)

Several solid materials were examined for hydrolytic activity with organophosphorus esters. The solid systems consisted of aliphatic amines surfaceimmobilized on silica or alumina supports. All materials demonstrated rate enhancements for the hydrolysis of p-nitrophenyldiphenyl phosphate (NPDPP).

CORRECTED CO

DD 1 JAN 73 1473


EDITION OF 1 NOV 65 IS OBSOLETE

5/N\_0102-LF-014-6601

023

SECURITY CLASSIFICATION OF THIS PAGE (When Date Brid

UNCLASSIFIED





OFFICE OF NAVAL RESEARCH

Task No. NR 633-846

TECHNICAL REPORT NO. 1

The Hydrolysis of Phosphate Esters on Solids

by

Richard A. Hollins

Prepared for Publication

in the

Journal of Research Communications

Naval Weapons Center China Lake, CA

Februrary 1, 1983

Approved for public release; distribution unlimited.

#### THE HYDROLYSIS OF PHOSPHATE ESTERS ON SOLIDS

# Richard A. Hollins Naval Weapons Center, China Lake, CA 93555

Several solid materials were examined for hydrolytic activity with organ-ophosphorus esters. The solid systems consisted of aliphatic amines surface-immobilized on silica or alumina supports. All materials demonstrated rate enhancements for the hydrolysis of p-nitrophenyldiphenyl phosphate (NPDPP).

Air purification in a toxic environment constitutes an important aspect of personnel protection in relation to industrial chemicals, pesticides and chemical warfare agents. Neat and impregnated activated charcoals have been the most widely studied and used materials in this context<sup>1</sup>. In the case of organophoshporus compounds charcoal demonstrates strong but reversible adsorption. Our interest has been to explore alternative solid materials which might show not only adsorption but also concomitant chemical destruction of the toxic substance. We have previously shown that various anion-exchanged forms of Dowex 2-X4 resin enhance the rate of hydrolysis of trimethyl phosphate<sup>2</sup>.

For the investigation of other solid systems we have selected alumina and silica as principal candidate supports for a variety of "reactive" organic moieties as 1) alumina has been shown to react with sarin<sup>3</sup> and 2) the chemistry for the surface modification of these materials is extensive<sup>4</sup>.

In our initial studies of these materials we examined three systems:

- 1) An alumina-bound propylethylenediamine (Al-EDA) prepared by treating Woelm I alumina with Dow Corning coupling agent DC 6020. The resulting material contained 0.81 meq/g of amine functionality as determined by titrimetric analysis.
- 2) A silica-bound propylethylenediamine (Si-EDA) prepared by treating Woelm silica gel with DC 6020. Amine content was found to be 0.96 meq/g.
- 3) A silica-bound propylamine (Si-PA) prepared by treating Woelm silica gel with Union Carbide A-1100 coupling agent. Amine content was found to be 1.16 meq/g.

Hydrolysis studies were carried out using mixtures of 0.5g of supported reactant and 4mL of a  $2.4\times10^{-3}$ M solution of p-nitrophenyldiphenyl phosphate (NPDPP) in 30% aqueous ethanol. The extent of reaction was determined by monitoring p-nitrophenoxide ion absorbance at 405nm. It was necessary to apply a correction to the observed absorbance vs time plots as the presence of the solid had the effect of augmenting the p-nitrophenol dissociation and thus increasing the apparent degree of reaction.

The upper trace in Figure 1 shows the effect of Si-PA on the dissociation of p-nitrophenol as compared to its normal equilibrium dissociation indicated by the lower trace. The other solid materials showed similar effects, that of greatly increasing the concentration of p-nitrophenoxide over that determined by normal dissociation (at the initial pH of the NPDPP solution).




Figure 1. Dissociation of p-Nitrophenol by Si-PA

The actual extent of reaction in each hydrolysis study was determined by correlating the observed absorbance (Figure 2) with those values determined for p-nitrophenol in the presence of solid (same quantities of solid and solvent as in the reaction).




Figure 2. Hydrolysis of NPDPP

The approximate half-lives for these hydrolyses are as follows:

A1-EDA  $T_{1/2} \approx 24 \text{ hrs}$ S1-PA  $T_{1/2} \approx 7 \text{ hrs}$ S1-EDA  $T_{1/2} \approx 4 \text{ hrs}$ 

#### CONCLUSIONS

While these rates do not appear to be spectacularly fast, the aqueous NPDPP solutions showed no measurable degree of solvolysis, in the absence of solid reactant, after several weeks of storage, thus enhancement of hydrolysis was very great. Comparison of the Si-EDA material to the others indicates both greater reactivity from the diamine moiety and from the use of silica as a support.

The possibility that a reverse ordering, i.e. alumina better than silica, might occur in the case of fluoro-phosphates was briefly investigated. A crude examination of the relative reactivities of the supported amines with disopropyl fluorophosphate (DFP) indicated the same qualitative behavior as with NPDPP.

These initial model systems have both demonstrated hydrolysis enhancement for NPDPP and helped to develop the necessary methodology for studying these complex heterogeneous reactions. The supported amines will be further examined as ligands for metal complexes and as functional groups for the attachment of other organic moieties.

#### **ACKNOWLEDGEMENT**

This work was supported in part by the Office of Naval Research

#### REFERENCES

- 1) Smisek, M., and Cerny, S., "Active Carbon," Elsevier, Amsterdam, 1970.
- 2) Presented at the Chemical Defense Research Conference, Aberdeen Proving Ground, Maryland, 16-20 November, 1981. Submitted to the CSL Journal of Research Communications.
- 3) Van Bokhoven, J.J.G.M., Kuiper, A.E.T., and Medema, J., J. Catal. 43, 168 (1976).
- 4) Plueddemann, E.P., "Silane Coupling Agents," Plenum Press, New York (1982)

### TECHNICAL REPORT DISTRIBUTION LIST, GEN

•	No. Copies		No. Copies
Office of Naval Research Attn: Code 413		Naval Ocean Systems Center Attn: Mr. Joe McCartney	•
800 North Quincy Street -Arlington, Virginia 22217	2	San Diego, California 92152	. 1
OND Deceders Detrobues	. •	Naval Weapons Center	
ONR Pasadena Detachment Attn: Dr. R. J. Marcus		Attn: Dr. A. B. Amster, Chemistry Division	
1030 East Green Street		China Lake, California 93555	. 1
Pasadena, California 91106	1		•
		Naval Civil Engineering Laboratory	•
Commander, Naval Air Systems Command Attn: Code 310C (H. Rosenwasser)		Attn: Dr. R. W. Drisko	1
Department of the Navy		Port Hueneme, California 93401	1
Washington, D.C. 20360	1	Dean William Tolles	
- /		Naval Postgraduate School	
Defense Technical Information Center		Monterey, California 93940	1
Building 5, Cameron Station Alexandria, Virginia 22314	12	Scientific Advisor	
Alexandria, Virginia 22314	12	Commandant of the Marine Corps	
Dr. Fred Saalfeld		(Code RD-1)	
Chemistry Division, Code 6100 Naval Research Laboratory	, of	Washington, D.C. 20380	1
Washington, D.C. 20375	1	Naval Ship Research and Development	
U.S. Army Research Office		Center Attn: Dr. G. Bosmajian, Applied	•
Attn: CRD-AA-IP		Chemistry Division	
P. O. Box 12211		Annapolis, Maryland 21401	1
Research Triangle Park, N.C. 27709	1		
Mr. Vincent Schaper		Mr. John Boyle	
DTNSRDC Code 2803		Materials Branch Naval Ship Engineering Center	
Annapolis, Maryland 21402	1	Philadelphia, Pennsylvania 19112	1
Naval Ocean Systems Center		Mr. A. M. Anzalone	
Attn: Dr. S. Yamamoto		Administrative Librarian	•
Marine Sciences Division	•	PLASTEC/ARRADCOM	
San Diego, California 91232	1	Bldg 3401	1
		Dover, New Jersey 07801	1

## TECHNICAL REPORT DISTRIBUTION LIST, 051D

	No. Copies	No Cop1
Dr. Henry Freiser University Department University of Arizona Tucson, Arizona 85721	1	
Dr. Lynn Jarvis Code 6170 Naval Research Laboratory Washington, D.C. 20375	1	
Dr. Gregory D. Botsaris Department of Chemical Engineering Tufts University Medford, Massachusetts 02155	. 1	er e
Dr. J. H. Hargis Department of Chemistry Auburn University, Alabama 36849	1	
Dr. Carl A. Heller Code 3851 Naval Weapons Center China Lake, CA 93555	1	± .
Dr. Christie G. Enke Department of Chemistry Michigan State University East Lansing, Michigan 48824	1	

